

STANDING WITH YOU DURING BOTOX[®] TREATMENT



Resources to support you throughout your Chronic Migraine journey

✓ Pathways to Prevention
support program

✓ BOTOXChronicMigraine.com

✓ BOTOX[®] Savings Card

Indication

BOTOX[®] is a prescription medicine that is injected to prevent headaches in adults with chronic migraine who have 15 or more days each month with headache lasting 4 or more hours each day in people 18 years or older.

It is not known whether BOTOX[®] is safe or effective to prevent headaches in patients with migraine who have 14 or fewer headache days each month (episodic migraine).

IMPORTANT SAFETY INFORMATION

BOTOX[®] may cause serious side effects that can be life threatening. Get medical help right away if you have any of these problems any time (hours to weeks) after injection of BOTOX[®]:

- **Problems swallowing, speaking, or breathing**, due to weakening of associated muscles, can be severe and result in loss of life. You are at the highest risk if these problems are pre-existing before injection. Swallowing problems may last for several months.

- **Spread of toxin effects.** The effect of botulinum toxin may affect areas away from the injection site and cause serious symptoms including: loss of strength and all-over muscle weakness, double vision, blurred vision and drooping eyelids, hoarseness or change or loss of voice, trouble saying words clearly, loss of bladder control, trouble breathing, trouble swallowing.

There has not been a confirmed serious case of spread of toxin effect away from the injection site when BOTOX[®] has been used at the recommended dose to treat chronic migraine.

BOTOX[®] may cause loss of strength or general muscle weakness, vision problems, or dizziness within hours to weeks of taking BOTOX[®]. **If this happens, do not drive a car, operate machinery, or do other dangerous activities.**

Please see additional Important Safety Information throughout the brochure.

Educational Support: Stay on Track Every Step of Your Treatment Experience

Pathways to Prevention



Information about BOTOX[®] and managing Chronic Migraine



Appointment reminders to help you stay on schedule



Fitness, diet, and healthy living tips from *Prevention*[®] magazine

Sign up at [BOTOXChronicMigraine.com/Register](https://www.BOTOXChronicMigraine.com/Register)

BOTOXChronicMigraine.com



Hear real BOTOX[®] patients talk about their experiences



Answer frequently asked questions about BOTOX[®] treatment



Watch expert videos that take you inside BOTOX[®] treatment

IMPORTANT SAFETY INFORMATION (continued)

Do not take BOTOX[®] if you: are allergic to any of the ingredients in BOTOX[®] (see Medication Guide for ingredients); had an allergic reaction to any other botulinum toxin product such as *Myobloc*[®] (rimabotulinumtoxinB), *Dysport*[®] (abobotulinumtoxinA), or *Xeomin*[®] (incobotulinumtoxinA); have a skin infection at the planned injection site.

The dose of BOTOX[®] is not the same as, or comparable to, another botulinum toxin product.

Serious and/or immediate allergic reactions have been reported. They include itching, rash, red itchy welts, wheezing, asthma symptoms, or dizziness or feeling faint. Get medical help right away if you experience symptoms; further injection of BOTOX[®] should be discontinued.

Financial Support: Save Year-Round on Out-of-Pocket Costs With the BOTOX® Savings Card

Most insurance plans cover the majority of treatment costs, plus you can sign up for additional help*

More savings when you need it most

Up to \$**400**

savings on out-of-pocket costs for 1 treatment^{†‡}

JANUARY-MARCH

After you've met your deductible

Up to \$**200**

savings on out-of-pocket costs per treatment (up to 4 treatments)^{†‡}

APRIL-DECEMBER

Your total savings per calendar year can add up to \$**1200**.

Treatment must be at least 12 weeks apart.



Visit BOTOXSavingsCard.com to get started

*Some insurance plans require you to have tried 2 or more other preventive treatments before covering BOTOX®

†Covers out-of-pocket costs of BOTOX® and related procedures for up to 5 treatments in a 12-month period.

‡Coverage and out-of-pocket costs may vary. Must be commercially insured and meet eligibility criteria to qualify.

IMPORTANT SAFETY INFORMATION (continued)

Tell your doctor about all your muscle or nerve conditions such as ALS or Lou Gehrig's disease, myasthenia gravis, or Lambert-Eaton syndrome, as you may be at increased risk of serious side effects including difficulty swallowing and difficulty breathing from typical doses of BOTOX®

Tell your doctor about all your medical conditions, including if you: have or have had bleeding problems; have plans to have surgery; had surgery

on your face; weakness of forehead muscles; trouble raising your eyebrows; drooping eyelids; any other abnormal facial change; are pregnant or plan to become pregnant (it is not known if BOTOX® can harm your unborn baby); are breastfeeding or plan to (it is not known if BOTOX® passes into breast milk).

Please see additional Important Safety Information throughout the brochure.

SIGN UP FOR SUPPORT TODAY!

Register for *Pathways to Prevention* at
BOTOXChronicMigraine.com/Register

Visit BOTOXSavingsCard.com
to learn more about savings on BOTOX[®] treatment

IMPORTANT SAFETY INFORMATION (continued)

Tell your doctor about all the medicines you take, including prescription and nonprescription medicines, vitamins, and herbal products. Using BOTOX[®] with certain other medicines may cause serious side effects. **Do not start any new medicines until you have told your doctor that you have received BOTOX[®] in the past.**

Tell your doctor if you have received any other botulinum toxin product in the last 4 months; have received injections of botulinum toxin such as *Myobloc*[®], *Dysport*[®], or *Xeomin*[®] in the past (tell your doctor exactly which product you received); have recently received an antibiotic by injection; take muscle relaxants; take an allergy or cold medicine; take a sleep medicine; take aspirin-like products or blood thinners.

Other side effects of BOTOX[®] include: dry mouth, discomfort or pain at the injection site, tiredness, headache, neck pain, and eye problems: double vision, blurred vision, decreased eyesight, drooping eyelids, swelling of your eyelids, and dry eyes.

For more information refer to the Medication Guide or talk with your doctor.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch or call 1-800-FDA-1088.

Please see accompanying Summary of Information about BOTOX[®].

Your BOTOX[®] Savings Card may only be used at hospitals, physician offices, and pharmacies, and will not be accepted at any other location that normally accepts Visa[®] Debit cards. The BOTOX[®] Savings Card cannot be used at merchants outside the United States (including Internet and mail/telephone merchants).

The BOTOX[®] Savings Card is issued by Metropolitan Commercial Bank, member FDIC, pursuant to license by Visa U.S.A., Inc. "Metropolitan Commercial Bank" and "Metropolitan" are registered trademarks of Metropolitan Commercial Bank ©2014. See the Cardholder Agreement for Terms and Conditions. By accepting, signing, or using this savings card, you agree to the Terms and Conditions of the Cardholder Agreement. This savings card will remain the property of the issuing institution and the privilege of its use may be withdrawn at any time.

Terms and Conditions

By participating, you understand and agree to comply with the Program rules as set forth below.

Your BOTOX[®] Savings Card provides savings on out-of-pocket costs for BOTOX[®] (onabotulinumtoxinA) and related procedures. The offer is valid for up to \$400 off 1 treatment received January-March 2016 and up to \$200 off per treatment for up to 4 treatments received April-December 2016. All treatments must be received within a 12-month period.

Offer is not valid for any other products or other out-of-pocket costs, even if those costs are associated with the administration of BOTOX[®] treatment. The BOTOX[®] Savings Card will be funded upon approval of a claim. The claim must be submitted with an Explanation of Benefits (EOB) or a Specialty Pharmacy Provider (SPP) receipt. (If the BOTOX[®] prescription was filled by a Specialty Pharmacy Provider, both an EOB and SPP receipt must be sent.)

All claims must be submitted within 90 days of the date of service listed on the EOB. BOTOX[®] Savings Card may not be combined with any other offer or discount. This BOTOX[®] Savings Card is not health insurance.

Offer not valid for patients participating in Medicare, Medicaid, or any similar federal or state healthcare program, including any state medical or pharmaceutical assistance programs. If patients are eligible for drug benefits under any such program, they cannot use this BOTOX[®] Savings Card.

Offer void where prohibited by law, taxed, or restricted. Offer good only in the United States. Allergan reserves the right to rescind, revoke, and amend this offer without notice.

Summary of Information about BOTOX® (onabotulinumtoxinA)

What is the most important information I should know about BOTOX®?

BOTOX® may cause serious side effects that can be life threatening. Call your doctor or get medical help right away if you have any of these problems any time (hours to weeks) after injection of BOTOX®:

- **Problems swallowing, speaking, or breathing**, due to weakening of associated muscles, can be severe and result in loss of life. You are at the highest risk if these problems are pre-existing before injection. Swallowing problems may last for several months.
- **Spread of toxin effects.** The effect of botulinum toxin may affect areas away from the injection site and cause serious symptoms including: loss of strength and all-over muscle weakness, double vision, blurred vision and drooping eyelids, hoarseness or change or loss of voice, trouble saying words clearly, loss of bladder control, trouble breathing, trouble swallowing.

There has not been a confirmed serious case of spread of toxin effect away from the injection site when BOTOX® has been used at the recommended dose to treat Chronic Migraine.

BOTOX® may cause loss of strength or general muscle weakness, vision problems, or dizziness within hours to weeks of taking BOTOX®. **If this happens, do not drive a car, operate machinery, or do other dangerous activities.**

BOTOX® dosing units are not the same as, or comparable to, any other botulinum toxin product.

What is BOTOX®?

BOTOX® is prescription medicine a medical professional injects into muscles to prevent headaches in adults with Chronic Migraine who have 15 or more days each month with headache lasting 4 or more hours each day in people 18 years and older.

It is not known whether BOTOX® is safe or effective to prevent headaches in people with migraine who have 14 or fewer headache days each month (episodic migraine).

Who should not take BOTOX®?

Do not use BOTOX® if you are: allergic to any of the ingredients in BOTOX® such as botulinum toxin type A and human serum albumin; had an allergic reaction to another botulinum toxin product such as Myobloc® (rimabotulinumtoxinB), Dysport® (abobotulinumtoxinA), or Xeomin® (incobotulinumtoxinA); or have a skin infection at the planned injection site.

What should I tell my doctor before treatment?

Tell your doctor about all your muscle or nerve conditions, such as amyotrophic lateral sclerosis (Lou Gehrig's disease), myasthenia gravis, or Lambert-Eaton syndrome, as you may be at increased risk of serious side effects.

Tell your doctor if you have or have had breathing problems such as asthma or emphysema; swallowing problems; bleeding issues; plan to or have had surgery; have forehead muscle weakness such as trouble raising your eyebrows; drooping eyelids; or any changes to your face.

Tell your doctor if you are pregnant, plan to become pregnant, are breastfeeding or plan to breast feed. It is not known if BOTOX® (onabotulinumtoxinA) can harm your unborn baby or if BOTOX® passes into breast milk.

What Are Common Side Effects?

The most common side effects include neck pain; headache; migraine; slight or partial facial paralysis; eyelid drooping; bronchitis; musculoskeletal stiffness; muscular weakness; pain in 1 or more muscles, ligaments, tendons, or bones; muscle spasms; injection site pain; and high blood pressure. Other side effects have been reported including allergic reactions e.g. itching, rash, red itchy welts, wheezing, asthma symptoms, or dizziness or feeling faint.

These are not all of the possible side effects. Call your doctor for medical advice if you experience any side effects after treatment with BOTOX®.

What Should I Tell My Doctor About Medicines and Vitamins I Take?

Using BOTOX® with certain medicines may cause serious side effects. **Do not start any new medicines until you have told your doctor that you have received BOTOX® in the past.** Tell your doctor if you have received an injection with another botulinum toxin product in the last 4 months, such as Myobloc®, Dysport®, or Xeomin®. Be sure your doctor knows which product you received.

Tell your doctor about all prescription and over-the-counter medicines and supplements you take including: vitamins and herbal products; recent antibiotic injections; anticholinergics; muscle relaxants; allergy or cold medicine; sleep medicine; aspirin-like products; and blood thinners. **Ask your doctor if you are not sure whether your medicine is listed above.**

To Learn More

If you would like more information, talk to your doctor and/or go to BotoxChronicMigraine.com for full Product Information.

You may report side effects to the FDA at www.fda.gov/medwatch or call 1-800-FDA-1088.

Based on 72511US15 Rev. 01/2016

APC05FR16

©2016 Allergan. All rights reserved. * marks owned by Allergan, Inc.

Patented. See: www.allergan.com/products/patent_notices

Myobloc® is a registered trademark of Solstice Neurosciences, Inc.

Dysport® is a registered trademark of Ipsen Biopharm Limited Company.

Xeomin® is a registered trademark of Merz Pharma GmbH & Co KGaA

